

AMERICAN INDEXING GROUP

Sample Index — STEM / Technical Reference

From the index of a networking and communication technologies text. Indented style; f denotes a figure locator.

Title, author, and publisher details withheld. Excerpt shown; full sample available on request.

A

Access points, structured cabling system, 58–59, 59f
Access to technology, 7
Active listening, 197
Administration department, 200f, 201
 forms, 209–211, 210f–211f
Adware, 156
Alternating current (AC), 20f, 21
 common frequencies, 22, 22f
 waveform characteristics, 21, 21f
Amateur radio, 175f, 176
Amber alerts, 185
American National Standard Institute (ANSI), 13f, 60–61
American Wire Gauge (AWG), 28, 28f
Ampere (A), 21
Amplitude, 21
Analog telephone adaptor (ATA), 171
*ANSI/CTA/CEDIA-2030-A: Multi-Room Audio Cabling
 Standard*, 226
*ANSI-J-STD-710: Audio, Video, and Control Architectural
 Drawing Symbols Standard*, 66, 208–209, 209f
*ANSI/TIA-568, Generic Telecommunications Cabling
 Standard for Customer Premises*, 60–61
ANSI/TIA-569, Telecommunications Pathways and Spaces,
 61
*ANSI/TIA-570, Residential Telecommunications
 Infrastructure Standard*, 61
Anti-malware software, 156
Appearance, 194–195
As-builts, 223–224, 223f
Attenuation, 29–30, 30f, 116–117, 117f
Attitude, 195, 195f, 227–228
Audio and video software tools, 114–115, 115f
Audio and video standards, 226–227
Audio Video and Integrated Experience Association
 (AVIXA), 15f
Authority having jurisdiction (AHJ), 24

B

Back boxes, 73, 73f, 87–88
Bandwidth, 4
Bayonet Neill-Concelman (BNC) connector, 36
Bayonet-style ST connector, 39, 39f
Behavioral analytic tools, 156
Bill-of-materials (BoM), 224f, 225
Block diagram, 81–82, 82f, 218–220, 219–220f
Blue alerts, 185
Body language, 195–196, 196f

Broadband services, 4–5, 132–133

Broadcast, 184, 184f

Building Industry Consulting Service International (BICSI),
 15f

Busbar, 25–26

Bus topology, 59–60, 59f

C

Cable certifier test set, 48, 49f, 80f

Cable performance tests, 51, 51f

Cable runs, 85

Cables

 category, 32–35, 32f–34f

 characteristics, 27–28, 27f–28f

 coaxial, 35–37, 35f–36f

 crossover, 45, 45f

 cutting and stripping tools for, 46, 46f

 fiber optic, 37–39, 37f–39f

 fishing, 104–105, 105f

 high-definition multi-media interface (HDMI), 63, 63f

 hybrid, 39–41, 40f

 installation of, 89–91, 89f–90f

 markings, 28–29, 29f

 multi-conductor, 31, 31f

 optional testing, 91

 patch, 44, 45f, 132, 132f

 performance, 29–30, 30f

 pulling, 87–88, 88f

 structured cabling systems, 57–58

 termination tools, 47–48, 47f–48f

 tests of, 49–51, 50f–51f

 twisted pair termination, 41–45, 41f–45f

 types, 29, 29f, 30–41

Cable schedule, 65, 65f, 67f, 86, 86f, 220, 220f

Cable support, 74–75, 74f

Cable terminations, 92–98, 93f–97f

 coaxial cable connections, 97–98, 97f

 8-pin 8-conductor connections, 93, 93f

 IDC modular jacks, blocks, and patch panels, 94–96, 95f

 IDC termination with lacing fixture, 96–97, 96f

 speaker cable connections, 98–99, 99f

Cable tester, 48, 49f, 80

 with time domain reflectometer (TDR), 79f, 80, 111–112

Cable testing, 48, 49f, 79–81, 79f, 100

Camo alerts, 185

Capacitance, 22

Category 5e cable, 34, 34f

Category 6a cable, 34f, 35, 63

- Category 6 cable, 34, 34f, 63
- Category 7a cable, 35
- Category 7 cable, 34f, 35, 63
- Category 8 cable, 34f, 35
- Category cables, 32–35, 32f–34f, 63
- Cellular dialer, 183
- Cellular networks, 177–178, 178f
- Cellular phones, 178–179, 179f
- Central office exchange service (Centrex), 169–170
- Certifications, 12–14, 15f
- Certification testing, 51
- Change order (CO), 225, 225f
- Chases, 85
- Circuit, 20
- Circuit switching, 171–172
- Circular saw, 77f, 79
- Citizens band radio (CB radio), 175f, 176
- Cladding, 37
- Cleave, 39
- Climate control systems, 3
- Cloud, the, 128–129, 129f
- Coaxial cable, 35–37, 35f–36f
 - connections, 97–98, 97f
- Coaxial cable compression tool, 77
- Coaxial cable crimper, 77
- Coax strippers, 46, 46f
- Code division multiple access (CDMA), 180
- Codes and regulations, 23
- Color coding, 66, 66f
- Common alerting protocol (CAP), 185–186
- Common problems
 - communication, 188–189, 188f–189f
 - electrical power issues, 119–120, 119f
 - wiring problems, 115–119, 115f–119f
- Communications
 - considerations, 186–187, 186f
 - data, 183–184, 183f–184f
 - emergency, 184–186, 185f
 - history of, 166
 - system options, 3, 167
 - troubleshooting, 187–189, 187f–189f
 - video, 174, 181–183, 182f
 - voice, 57, 167–176, 167f–170f, 174f–175f
 - wireless, 176–181, 177f–180f
- Company organization, 200f, 201
- Compression tool, 48, 48f
- Computer-aided design (CAD), 222–223, 223f
- Computer Technology Industry Association (CompTIA), 15f

- Conductors, 28
 - multiple, 31, 31f
- Conduit, 63–64
- Conferencing, video, 182
- Connected and smart technologies
 - benefits, 6–8
 - construction process and, 9–11, 10f
 - implementation process, 11–12
 - industry standards and certification, 12–14, 13f, 15f
 - installation phases, 11
 - integration, 8–12, 8f–10f
 - services, 4–6, 5f–6f
 - stakeholders, 8f, 9
 - systems in, 2–4, 2f, 4f
 - technology systems coordinators (TSC) and, 9
- Connectors, 31
 - coaxial cable, 36–37, 36f
 - 8-position 8-contact (8P8C), 42–43, 43f
 - fiber optic, 39, 39f
- Construction and engineering drawings
 - block diagram, 81–82, 82f, 218–220, 219–220f
 - cable schedule, 65, 65f, 67f, 86, 86f, 220, 220f
 - floor plan, 64, 64f, 216–218, 217–218f
 - rack layout, 221–222, 222f
 - schematic, 82, 82f, 221, 221f, 223–224, 223f
- Construction process, 9–11, 9f–10f, 208, 208f
- Consumer Technology Association (CTA), 13f
- Control devices, 85
- Convenience of smart technologies, 6
- Coordinated Law Enforcement Adult Rescue (CLEAR) alerts, 185
- Crimping tool, 47, 47f
- Crossed pairs, 51
- Crossover cables, 45, 45f
- Cross pinning, 51, 116, 116f
- Crosstalk, 30, 30f, 117–118, 118f
- Cross wiring, 51
- CTA-CEB17: Floor-to-Ceiling Guide for Residential Speaker Systems Planning, Selection, and Installation for Optimum Performance*, 226
- Current, 20, 20f
- Custom Electronic Design and Installation Association (CEDIA), 15f
- Cycle, wave, 21

D

- Data communication, 183–184, 183f–184f
- Data loss prevention, 156–157

- Demarcation point (DMARC), 25, 27, 62
- Design worksheets, 211–216, 212f–215f
- Digital satellite signal (DSS) meter, 113–114, 114f
- Digital subscriber line (DSL), 126–127
- Direct current (DC), 20f, 21
- Distributed antenna system (DAS), 178, 178f
- Distributed generation systems, 25–26, 25f
- Distribution devices (DD), structured cabling systems, 58, 58f, 62, 62f, 84, 92, 92f
- Divide and conquer method, 121, 121f, 187, 187f
- Documentation
 - network, 158, 159f
 - project, 102, 208–226, 209–225f
 - structured cabling systems, 64–65, 64f, 85
 - troubleshooting, 122
- Domain name service (DNS), 143–144
- Download speed, 127
- Drain wire, 28
- Drawings
 - as-built, 223–224, 223f
 - CAD, 222–223, 223f
 - construction and engineering, 216–224, 217–224f
 - network layout, 213–214, 214f
- Drills and drill bits, 77f, 78, 78f
- Drywall, 10
- Dynamic host configuration protocol (DHCP), 146–148, 147f–148f
- Dynamic IP addresses, 147, 147f, 148

E

- Ease of use of smart technologies, 6–7
- Education benefits of smart technologies, 7
- 8-pin 8-conductor connections, 93–94, 93f–94f
- 8-position 8-contact (8P8C) connector, 42–43, 43f, 132, 132f
- 8-position 8-contact (8P8C) pinout, 43–44, 44f
- Electrical basics
 - electrical current types, 20f, 21–22, 21f–22f
 - electrical properties, 22
 - electricity and, 20
 - incoming services, 24–27, 25f–27f
 - Ohm's Law, 22–23, 23f
 - terminology, 20–21
- Electrical feed, 26, 26f
- Electrical grounding system, 26, 26f
- Electrical power issues, 119–120, 119f
- Electrical structures, 10
- Electricity, 20, 20f
- Electromagnetic interference (EMI), 30, 30f, 117, 117f

- Electronic document and file storage, 204–205
- Electronic Security Association (ESA), 15f
- Electrostatic discharge (ESD), 152
- Elevator communication system, 175, 175f
- Emergency communications, 184–186, 185f
- Emergency communications system (ECS), 184
- Emergency notification system (ENS), 184
- Emotions, 198–199, 199f
- Energy efficiency of smart technologies, 7
- Energy management systems, 3
- Entertainment systems, 3
 - benefits of smart technologies in, 7
- Equipment schedule, 65, 65f
- Ethernet, 127, 139

F

- Facsimile, 183, 183f
- "F" connector, 36–37
- Fiber optic cable
 - connectors, 39, 39f
 - single-mode *versus* multi-mode, 38, 38f
 - splicing, 39
 - types of, 37, 37f
- Fiber-to-the-home (FTTH), 27, 27f
- Fiber-to-the-premises (FTTP), 27
- Fiber-to-the-x (FTTx), 27
- Field visit checklist, 229, 229f
- Final installation, 11, 73, 100–102, 101f
- Financial savings with smart technologies, 7–8
- Fire blocking, 91
- Firewall, 138, 138f, 157
- First aid, 228–229
- Fishing cables, 104–105, 105f
- 5G cellular, 127–128
- 5GHz speed, 127–128
- Floor joists, 88
- Floor plan, structured cabling systems, 64, 64f
 - construction and engineering drawings, 216–218, 217–218f
- Foiled twisted pair (F/UTP or FTP) cable, 33
- Foiled twisted pairs with foil (F/FTP) cable, 34
- Foil shield, 28
- Forwarding, port, 134–135, 134f
- Foundation, 9–10
- Framing, 10
- Free-standing speakers, 85
- Frequency, wave, 21
- Frequency division multiple access (FDMA), 180